

according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 1/13

Printing date: 24.01.2023 Revision date: 24.01.2023

Version number: 4 (replaces version 3)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

## Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

UFI: Not apply.

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

No use descriptors (LCS, SU, PC, PROC, ERC, AC, TF categories) of the substance or mixture are available.

#### Application of the substance / the mixture:

The extinguishing spray is intended for extinguishing fires of solids, liquids, gases up to 3 bar, greases and oils from a minimum distance of 1.5 meter + devices under voltage up to 400 V from a minimum distance of 1 meter and for extinguishing/quenching fire lithium-ion accumulators and batteries.

The contained fire extinguisher is EFFEM type - fire extinguisher without the content of regulated perfluorinated substances (Eco Friendly Fire Extinguishing Mixture without the content of regulated substances).

Fire extinguisher certificate from TÚPO Prague No. N002/2022.

Certificate of extinction of lithium-ion batteries from SZÚ Brno No. 39-153/11 2020.

Uses advised against: Any other than the above mentioned.

## 1.3 Details of the supplier of the safety data sheet

#### Supplier:

GLACI-AID s.r.o.

Příkop 6/838, 602 00 Brno, Czech Republic Company registration number: 052 79 844

Phone: +420 607 551 085

E-mail: uher@glaciaid.com / Website: www.glaciaid.com

## Further information obtainable from:

Ing. Karel Královec, Studio2K, Czech Republic

Phone: +420 777 145 808, Email: bl@studio2k.cz, Website: www.bezpecnostni-listy.eu

#### 1.4 Emergency telephone number

European Chemicals Agency. National helpdesks contact details - https://echa.europa.eu/support/helpdesks. Links to Poison Centers and Clinical Toxicologists all over the World: https://www.eapcct.org/index.php?page=links.

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008

The product is classified as dangerous in the terms of the Regulation (EC) No 1272/2008 (CLP).

Aerosol 3 H229 Pressurised container: May burst if heated.

# 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008: The product is classified and labelled according to the CLP regulation.

**Hazard pictograms:** Void. **Signal word:** Warning

#### Hazard-determining components of labelling: Void.

#### **Hazard statements:**

H229 Pressurised container: May burst if heated.

#### Precautionary statements:

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

# Additional information:

EUH208 Contains Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1). May produce an allergic reaction.

# 2.3 Other hazards Danger of explosion spray can when heated.

# Results of PBT and vPvB assessment

#### PBT:

The mixture does not contain substances classified at the date of preparation of the safety data sheet as PBT according to Regulation (EC) No 1907/2006 (REACH) in a concentration equal to or greater than 0.1 % by weight.

The mixture does not contain substances classified at the date of preparation of the safety data sheet as vPvB according to Regulation (EC) No 1907/2006 (REACH) in a concentration equal to or greater than 0.1 % by weight.

(Continuation on page 2)



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 2/13

Printing date: 24.01.2023 Revision date: 24.01.2023

Version number: 4 (replaces version 3)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 1)

#### Determination of endocrine-disrupting properties

The mixture does not contain substances that have been identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0.1 % by weight.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Dangerous components:		
CAS: 142-31-4 EINECS: 205-535-5 REACH: 01-2119966154-35-XXXX	Sodium octyl sulphate  Eye Dam. 1, H318 Skin Irrit. 2, H315 Specific concentration limits: Eye Dam. 1; H318: C ≥ 20 %  Eye Irrit. 2; H319: 10 % ≤ C < 20 %	≤ 2.5%
CAS: 112-34-5 EINECS: 203-961-6 INDEX: 603-096-00-8 REACH: 01-2119475104-44-XXXX		≤ 2.5%
CAS: 64-17-5 EINECS: 200-578-6 INDEX: 603-002-00-5 REACH: 01-2119457610-43-XXXX	Ethanol  The stress of the str	< 1%
CAS: 55965-84-9 EC: 611-341-5 INDEX: 613-167-00-5	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)  Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330  Skin Corr. 1C, H314; Eye Dam. 1, H318  Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100)  Skin Sens. 1A, H317  EUH071  Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 %  Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %  Eye Dam. 1; H318: C ≥ 0.6 %  Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 %  Skin Sens. 1A; H317: C ≥ 0.0015 %  Note B	< 0.0015%
Non dangerous components:		
CAS: 57-13-6 Urea EINECS: 200-315-5		50 - 100%
CAS: 7732-18-5 Water, distilled, conductivity or of similar purity EINECS: 231-791-2		2.5 - 10%

# Notes:

#### Note B:

Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations.

In Part 3 entries with Note B have a general designation of the following type: 'nitric acid .. %'.

In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.

#### SVHC:

The product does not contain substances classified as of the date of preparation of the safety data sheet as PBT or vPvB and stated in the Candidate list of substances producing very high concerns for Appendix XIV of Regulation (EC) No 1907/2006 (REACH).

Regulation (EC) No 648/2004 on detergents / Labelling for contents: Not apply.

# Additional information:

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3 of the Regulation (EC) No 1272/2008 (CLP Regulation) this means that all notes that may be given here for the named classification have been taken into account.

For the wording of the listed hazard phrases refer to section 16.

(Continuation on page 3)



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 3/13

Printing date: 24.01.2023 Revision date: 24.01.2023

Version number: 4 (replaces version 3)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 2)

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General information:

In case of doubt, appearance of symptoms or upon any problems, seek medical help and present this safety data sheet or the product label.

Never pour anything into the mouth of an unconscious person!

Personal protection for the First Aider.

#### After inhalation:

Inhalation exposure is improbable.

Remove person from danger area.

Lead the person to fresh air, put the person into a calm environment. In subsequent or continuing troubles, seek medical assistance.

#### After skin contact:

Generally the product does not irritate the skin.

Wash the affected skin with water and soap and rinse thoroughly. Upon skin irritation or other problems, consult further procedure with an expert physician.

#### After eye contact:

Open the eye lids, possibly remove contact lenses, and rinse the affected eyes thoroughly with clean flowing water for a period of several minutes. In case of eye irritation or other difficulties, consult further procedure with an ophthalmologist.

#### After swallowing:

Thoroughly rinse the mouth with water, do not give anything to drink and do not induce vomiting. Put the affected person in warm and calm conditions. Seek medical assistance immediately.

Information for doctor: Symptomatic treatment.

#### 4.2 Most important symptoms and effects, both acute and delayed

Possible toxicological effects resulting from the classification are stated in Section 11.

Sensitive individuals:

Allergic reaction possible.

# 4.3 Indication of any immediate medical attention and special treatment needed

In case of ingestion seek medical help immediately.

For special medical advice, contact the Toxicology Information Centre.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing agents: Product itself is fire extinguishing agent.

For safety reasons unsuitable extinguishing agents: No extinguishing substances are determined, the mixture is not flammable.

# 5.2 Special hazards arising from the substance or mixture

No special dangers are determined.

The product itself is not flammable.

Danger of explosion when heated spray can.

# 5.3 Advice for firefighters

Protective equipment: No special measures required.

#### Additional information:

Cool with water the products in enclosed packaging, which is near the fire. If possible, remove the products in un-damaged packaging from the danger area. Store the contaminated extinguishing water separately and do not let it into the sewerage. Remove the extinguishing water or used extinguishing materials together with the remnants of the fire according to the corresponding regulations.

# **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Respect the instructions set forth in Sections 7 and 8 of the safety data sheet.

## For non-emergency personnel:

Ensure adequate ventilation.

Use personal protective equipment.

Avoid contact with eyes and skin.

Prevent entry of unauthorised persons.

For emergency responders: See section 8 for suitable protective equipment and material specification.

**6.2 Environmental precautions** Product is not dangerous for nature or water.

(Continuation on page 4)



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 4/13

Printing date: 24.01.2023 Revision date: 24.01.2023 Version number: 4 (replaces version 3)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 3)

#### 6.3 Methods and material for containment and cleaning up

No special measures required.

Protect health against exposure of contained substances from the atmosphere, see the limit values of exposure, which are stated in Section 8.

Thoroughly wash the affected spot and the tools used with a suitable detergent, it is possible to use a larger quantity of water.

The further disposal procedure is governed by the regulations in Section 13.

Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

In addition to the information provided in this section, important information is also provided in Sections 6 and 8.

#### Information about fire - and explosion protection:

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

Respect general regulations on fire prevention.

#### Handling:

Before use, it is necessary to familiarize oneself with the contents of Sections 2, 6, 8, and 11 of the safety data sheet.

Ensure good ventilation and exhaustion.

Use personal protective equipment.

Avoid contact with eyes and skin.

Observe directions on label and instructions for use.

General hygiene measures for the handing of chemicals are applicable.

Before a pause and after ending the work, wash the hands and take off the polluted working clothes. Keep these clothes separately.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Do not eat, drink, smoke, or snuff during use.

## 7.2 Conditions for safe storage, including any incompatibilities

## Storage

#### Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

Store only in unopened original receptacles.

# Information about storage in one common storage facility:

Keep away from food, drink and animal feedingstuffs.

Store away from other chemical products.

## Further information about storage conditions:

Store in a dry and well ventilated place.

Protect from heat and direct sunlight.

Shelf life: 72 months from production date.

Maximum storage temperature: +50 °C.

7.3 Specific end use(s) Specific use is stated in the manual for use on the product packaging label or in the product documentation.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:			
112-34	112-34-5 2-(2-butoxyethoxy)ethanol		
	IOELV Short-term value: 101.2 mg/m³, 15 ppm		
	Long-term value: 67.5 mg/m³, 10 ppm		

# Regulatory information:

IOELV: COMMISSION DIRECTIVE (EU) 2019/1831

Legend: IOELV = indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC.

DNELs:	DNELs:			
57-13-6 Urea				
Oral	DNEL - Long term exposure, systemic effects	42 mg/kg/d (consumers)		
	DNEL - Short term exposure, systemic effects	42 mg/kg/d (consumers)		



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 5/13

Printing date: 24.01.2023 Revision date: 24.01.2023 Version number: 4 (replaces version 3)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

			(Continuation of page 4)
Dermal	DNEL - Long term exp	osure, systemic effects	580 mg/kg/d (consumers)
			580 mg/kg/d (workers)
	DNEL - Short term exp	osure, systemic effects	580 mg/kg/d (consumers)
			580 mg/kg/d (workers)
Inhalative	DNEL - Long term exp	osure, systemic effects	125 mg/m3 (consumers)
			292 mg/m3 (workers)
	DNEL - Short term exp	osure, systemic effects	125 mg/m3 (consumers)
		•	292 mg/m3 (workers)
142-31-4 \$	Sodium octyl sulphate	1	
Oral	DNEL - Long term exp	osure, systemic effects	24 mg/kg/d (consumers)
Dermal	DNEL - Long term exp	osure, systemic effects	2,440 mg/kg/d (consumers)
			4,060 mg/kg/d (workers)
Inhalative	DNEL - Long term exp	osure, systemic effects	85 mg/m3 (consumers)
		. ,	285 mg/m3 (workers)
112-34-5 2	2-(2-butoxyethoxy)eth	anol	
Oral			200 mg/kg/d (consumers)
Dermal	· ·	osure, systemic effects	50 mg/kg/d (consumers)
		, - <b>,</b>	83 mg/kg/d (workers)
Inhalative	DNEL - Long term exp	osure systemic effects	40.5 mg/m3 (consumers)
minalative	DIVEL - Long term exp	osure, systemic encots	67.5 mg/m3 (workers)
	DNEL - Short term evr	ocure evetemic effects	60.7 mg/m3 (consumers)
	DIVLE - SHOIL LEITH EXP	osure, systemic enects	101.2 mg/m3 (workers)
55965-84-	9 Poaction mass of 5	chloro-2-mathyl-2H-ise	othiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)
0ral			0.09 mg/kg/d (consumers)
Olai	I		,
Inhalativa			0.11 mg/kg/d (consumers)
innaiative	DNEL - Long term exp	osure, local effects	0.02 mg/m3 (consumers)
	D. 1.		0.02 mg/m3 (workers)
	DNEL - Snort term exp	osure, systemic effects	0.04 mg/m3 (consumers)
			0.04 mg/m3 (workers)
PNECs:			
57-13-6 U		I	
PNEC - Fr		0.047 mg/l	
	Sodium octyl sulphate		
PNEC - Fr		0.1357 mg/l	
	arine water	0.01357 mg/l	
	•	1.35 mg/l	
PNEC - Se	ediment, freshwater	1.5 mg/kg	
	PNEC - Sediment, marine water 0.15 r		
	PNEC - Soil 0.22 mg/kg		
112-34-5 2	112-34-5 2-(2-butoxyethoxy)ethanol		
PNEC - Freshwater 1.1 mg/l		1.1 mg/l	
PNEC - Marine water 0.11 mg/l		0.11 mg/l	
PNEC - Sewage treatment plant   200 mg/l		200 mg/l	
PNEC - Se	PNEC - Sediment, freshwater 4.4 mg/kg		
PNEC - Sediment, marine water 0.44 mg/kg		0.44 mg/kg	
PNEC - Soil 0.32 mg/kg		0.32 mg/kg	
PNEC - Oral (animal feed) 56 mg/kg		56 mg/kg	
55965-84-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)			
PNEC - Freshwater 0.00339 mg/l			
PNEC - M	PNEC - Marine water 0.00339 mg/l		
PNEC - Sewage treatment plant   0.23 mg/l		0.23 mg/l	



# according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 6/13

Printing date: 24.01.2023 Revision date: 24.01.2023

Version number: 4 (replaces version 3)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

	(Continuation of page 5)
PNEC - Sediment, freshwater	0.027 mg/kg
PNEC - Sediment, marine water	0.027 mg/kg
PNEC - Soil	0.01 mg/kg
PNEC - Water (sporadic release)	0.00339 mg/l

### Ingredients with biological limit values:

The product does not contain any relevant quantities of materials with biological limit values.

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

Appropriate engineering controls: No further data; see item 7.

Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Do not eat, drink, smoke or sniff while working.

Immediately remove all soiled and contaminated clothing.

Do not inhale gases/fumes/aerosols.

Avoid contact with the eyes and skin.

#### Eye/face protection:

Not required during regular use.



In case of danger of contact with eyes, use tightly adhering protective goggles (EN 166).

## **Body protection:**

Not required during regular use.

Alternatively, use light protective clothing.

#### Hand protection

Not required during regular use.



Use protective gloves whenever there is a risk of direct contact with hands (EN ISO 374-1).

# Material of gloves:

Nitrile rubber gloves (EN ISO 374-1).

Recommended thickness of the material:  $\geq 0.11$  mm.

Glove material selection was performed based on the glove producers' data and information on substances contained in the product. The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

# Penetration time of glove material:

≥ 480 minutes (EN 16523-1).

No tests have been performed, glove resistance must be tested before use.

The determined penetration times according to EN 16523-1 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50 % of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Other: Not determined.

## Respiratory protection:

Unnecessary during regular use.



In case of insufficient ventilation and exceeding permitted exposure limits, use a suitable half-mask (EN 149+A1) with a filter (EN 14387+A1).

Observe wearing time limitations for respiratory protection equipment.

Recommended filter device for short term use: Filter A (EN 14387+A1), code colour brown.

(Continuation on page 7)



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 7/13

Printing date: 24.01.2023 Revision date: 24.01.2023

Version number: 4 (replaces version 3)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 6)

Thermal hazards:

If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Environmental exposure controls: Adhere to usual measures for environmental protection, see Section 6.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and chemical properties

**General Information** 

Physical state: Liquid (BOV spray, propellant is compressed clean air).

Colour:Clear.Odour:Characteristic.Melting point/freezing point:-15 °CBoiling point or initial boiling point and boiling range:100 °C

Flammability: It is not flammable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicable.Ignition temperature:Not applicable.Decomposition temperature:Not determined.pH:Slightly alkaline

Viscosity

Kinematic viscosity:

Dynamic viscosity:

Not determined.

Not determined.

Solubility

water: Fully miscible.

Partition coefficient n-octanol/water (log value): Not determined.

Vapour pressure at 20 °C: 23 hPa

Density and/or relative density

Density at 20 °C:1.1 g/cm³Vapour density:Not determined.Relative gas density:Not determined.

9.2 Other information

Important information on protection of health and

environment, and on safety.

**Auto-ignition temperature:** Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Void.

Solvent content

VOC (2010/75/EC):

Oxidising properties:

No.

Evaporation rate: Not determined. Relative evaporation rate: Not apply.

Information with regard to physical hazard classes

**Explosives:** Void. **Flammable gases:** Void.

Aerosols:

Organic peroxides:

Pressurised container: May burst if heated.

Oxidising gases: Void. Gases under pressure: Void. Flammable liquids: Void. Flammable solids: Void. Self-reactive substances and mixtures: Void. **Pyrophoric liquids:** Void. Pyrophoric solids: Void. Self-heating substances and mixtures: Void. Substances and mixtures, which emit flammable gases in contact with water: Void. Oxidising liquids: Void. Oxidising solids: Void.

(Continuation on page 8)



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 8/13

Printing date: 24.01.2023 Revision date: 24.01.2023

Version number: 4 (replaces version 3)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 7)

Corrosive to metals: Void.

Desensitised explosives: Void.

Additional information: No relevant information available.

# SECTION 10: Stability and reactivity

- 10.1 Reactivity Upon adhering to the determined regulations of storage and use, no reactivity is expected (see Section 7).
- 10.2 Chemical stability Upon adhering to the determined regulations of storage and use, the product is stable (see Section 7).
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid

Temperature < -15 °C.

Prevent excessive heating by various heat sources above +50 °C. The growth of the pressure in the spray bottle leads to the danger of its bursting.

- 10.5 Incompatible materials No incompatible materials are known.
- 10.6 Hazardous decomposition products No hazardous decomposition products are known.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity: Based on available data, the classification criteria are not met.

, , , , , , , , , , , , , , , , , , , ,			
Relevant toxicological values for classification:			
57-13-6 Urea			
Oral	LD50   14,300 mg/kg (rat)		
142-31-4 \$	142-31-4 Sodium octyl sulphate		
Oral	LD50	> 2,000 mg/kg (rat)	
Dermal	LD50	> 2,000 mg/kg (rabbit)	
	NOAEL	488 mg/kg/d (rat) (OECD 408 - Repeated Dose 90-D Oral Toxicity Study)	
112-34-5 2	112-34-5 2-(2-butoxyethoxy)ethanol		
Oral	LD50	5,660 mg/kg (rat)	
Dermal	LD50	4,000 mg/kg (rabbit)	
55965-84-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)			
Oral	LD50	53 mg/kg (rat)	
Dermal	LD50	87 mg/kg (rabbit)	
Inhalative	ATE	0.5 mg/l/4h (ATE)	

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

**Carcinogenicity:** Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Based on available data, the classification criteria are not met. **STOT-single exposure:** Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

**Aspiration hazard:** Based on available data, the classification criteria are not met. **Subacute to chronic toxicity:** Based on available data, the classification criteria are not met.

Additional toxicological information: Allergic reaction possible through skin contact.

Acute effects: No acute effects are known.

**Sensitisation:** Based on available data, the classification criteria are not met.

Repeated dose toxicity: Based on available data, the classification criteria are not met.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction): No CMR effects are known.

# 11.2 Information on other hazards

Г	Endocrine disrupting properties:
Г	None of the ingredients is listed.

Other information: No further information is available.



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Printing date: 24.01.2023 Revision date: 24.01.2023

Version number: 4 (replaces version 3)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 8)

Page 9/13

# **SECTION 12: Ecological information**

# 12.1 Toxicity

# Aquatic toxicity:

Based on available data, the classification criteria are not met.			
57-13-6 Urea			
LC50/72 h	> 10,000 mg/l (bacteria) Pseudomonas putida		
LC50/96 h	> 6,810 mg/l (fish) Leuciscus idus		
EC50/48 h	> 10,000 mg/l (daphnia) Daphnia magna		
142-31-4 Sc	odium octyl sulphate		
NOAEL	400 mg/kg/d (mouse) (OECD 411 - Subchronic Dermal Toxicity - 90-D Study)		
LC50/96 h	> 100 mg/l (fish) (OECD 203 - Fish, Acute Toxicity Test) Brachydanio rerio		
EC50/48 h	> 100 mg/l (invertebrates) (OECD 202 - Daphnia sp. Acute Immobilisation Test) Daphnia magna		
EC50/72 h	> 511 mg/l (algae) (EU C.3 (92/69/EEC)) Desmodesmus subspicatus		
NOEC/42 d	d ≥ 1.357 mg/l (fish) Pimephales promelas		
NOEC/21 d	NOEC/21 d 1.4 mg/l (invertebrates) (OECD 211 - Daphnia magna Reproduction Test) Daphnia magna		
112-34-5 2-	(2-butoxyethoxy)ethanol		
LC50/96 h	C50/96 h 1,300 mg/l (fish)		
EC50/48 h	2,850 mg/l (daphnia)		
IC50/72 h	IC50/72 h 73 mg/l (algae)		
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)		
LC50/96 h	0.19 mg/l (fish) Oncorhynchus mykiss		
EC50/48 h	0.16 mg/l (daphnia) Daphnia magna		
EC50/72 h	2 h > 0.037 mg/l (algae) Pseudokerchneriella subcapitata		
EC50/16 h	50/16 h   5.7 mg/l (bacteria)   Pseudomonas putida		
12.2 Persistence and degradability			
142-31-4 Sodium octyl sulphate			
Biodegradability, aerobic 93.5 %/29 d (OECD 301 B - CO2 Evolution Test) the substance is readily biodegradable			
55965-84-9	Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)		
Biodegradability in water < 50 %/10 d the substance is not readily biodegradable			
	<del></del>		

Behaviour in waste water treatment plants: No relevant information is available.

12.3 Bioaccumulative potential			
142-31-4 Sodium octyl sulphate			
	og Pow ≤ -2.31 (OECD 107 - Partition Coefficient (n-octanol/water)) bioaccumulation is not expected		
112-34-5 2-(2-butoxyethoxy)ethanol			
log Pow	0.56 (při 25 °C) bioaccumulation is not expected		

(Continuation on page 10)



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 10/13

Printing date: 24.01.2023 Revision date: 24.01.2023

Version number: 4 (replaces version 3)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 9)

55965-84-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)			
log Pow   0.401			
	measured value, bioaccumulation is not expected		
Bioconcentration factor (BCF):			
55965-84-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)			
BCF 3	BCF   3.6		
	calculated value		
12.4 Mobility in soil			
55965-84-9 Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- one (3:1)			
log Ko	c 28		
_	estimated value		

# 12.5 Results of PBT and vPvB assessment

The product does not contain substances classified as PBT or vPvB and included in the list of substances subject to authorization (Annex XIV of EP and R Regulation No 1907/2006, as amended).

PBT: No relevant information is available.

vPvB: No relevant information is available.

12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

#### 12.7 Other adverse effects

#### Additional ecological information

AOX-indication: No relevant information is available.

#### General notes

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

#### Recommendation:

Product residues are not hazardous waste.

The product can be discharged into the waste or sewage system.

Remove product residues according to the corresponding local directives as other waste.

Alternatively, dispose of product residues in accordance with relevant local guidelines in appropriate facilities.

#### Waste disposal key:

The catalogue numbers with the asterisk (\*) mark hazardous waste (N), numbers without the asterisk mark other waste (O).

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC, 2014/955/EU).

European	European waste catalogue and hazardous properties of waste:		
16 05 05	gases in pressure containers other than those mentioned in 16 05 04		
15 01 11* metallic packaging containing a hazardous solid porous matrix (for example asbestos), including empty processing containers			
15 01 04	metallic packaging		

# **Uncleaned packaging**

# Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Completely empty the pressure bottles (including the propelling gas).

Do not open by force or incinerate empty pressure bottles after use.

Take full aerosol cans to problem waste collection.

Handover the emptied packaging to the authorised organisation, which has a licence for their disposal.

Recommended cleansing agents: Water, if necessary together with cleansing agents.

#### Regulations:

Commission Decision No 2014/955/EU of 18 December 2014 amending Decision 2000/532/EC on the list of waste pursuant to Directive 2008/98/EC of the European Parliament and of the Council.

Commission Regulation (EU) No 1357/2014, replacing Annex III to Directive 2008/98/EC of the European Parliament and of the Council on waste and repealing certain Directives.

(Continuation on page 11)



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 11/13

Printing date: 24.01.2023 Revision date: 24.01.2023 Version number: 4 (replaces version 3)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 10)

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste and repealing certain Directives, as amended.

SECTION 14: Transport information			
SECTION 14: Transport information			
14.1 UN number or ID number ADR, IMDG, IATA	UN1950		
14.2 UN proper shipping name ADR IMDG IATA	1950 AEROSOLS AEROSOLS AEROSOLS, non-flammable		
14.3 Transport hazard class(es)			
ADR			
Class: Label:	2 5A Gases. 2.2		
IMDG, IATA			
Class:	2.2 Gases.		
Label	2.2		
14.4 Packing group ADR, IMDG, IATA	Void.		
14.5 Environmental hazards Marine pollutant:	No		
14.6 Special precautions for user	Persons employed in transporting dangerous goods must be trained.  All persons involved in transporting must observe safety regulations.  Precautions must be taken to prevent damage.  Warning: Gases.		
Hazard identification number (Kemler code):			
EMS Number: Stowage Code:	F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre:		
Segregation Code:	Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.  SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4.  For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2.  For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2.		
14.7 Maritime transport in hulk according to IMO instrument			
14.7 Maritime transport in bulk according to IMO instrument	s Freighted as packaged goods rather than in bulk, therefore not applicable.  Minimum amount regulations have not been taken into account.		
Transport/Additional information:	Danger code and packing code on request.		
E			



according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 12/13

Printing date: 24.01.2023 Revision date: 24.01.2023

Version number: 4 (replaces version 3)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 11)

Limited quantities (LQ):	
Excepted quantities (EQ): Code: E0	
Not permitted as Excepted Quantity	
Transport category: 3	
Tunnel restriction code:	
IMDG	
Limited quantities (LQ):	
Excepted quantities (EQ) Code: E0	
Not permitted as Excepted Quantity.	
UN "Model Regulation": UN 1950 AEROSOLS, 2.2	

# SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2004/42/EC of the European Parliament and the Council: Does not apply.

Named dangerous substances - ANNEX I: None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII: Conditions of restriction for the group No 3.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II:

None of the ingredients is listed.

# Legal regulations of the European Community:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended.

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006, as amended.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

Directive 2012/18/EU of the European Parliament and of the Council of 4 July 2012 on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC, as amended.

COMMISSION REGULATION (EU) amending for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures: 2016/918 (8. ATP from 1.2.2018), 2016/1179 (9. ATP from 1.3.2018), 2017/776 (10. ATP from 1.12.2018), 2018/669 (11. ATP from 1.12.2019), 2019/521 (12. ATP from 17.10.2020), 2018/1480 (13. ATP from 1.5.2020).

COMMISSION DELEGATED REGULATION (EU) amending for the purposes of its adaptation to technical and scientific progress, Regulation (EC) No 1272/2008 of the European Parliament and of the Council on classification, labelling and packaging of substances and mixtures:

2020/217 (14. ATP from 1.10.2021), 2020/1182 (15. ATP from 1.3.2022), 2021/643 (16. ATP from 10.5.2021), 2021/849 (17. ATP from 17.12.2022).

15.2 Chemical safety assessment A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

## Warning:

The safety data sheet contains data needed for securing safety and health protection during work and environ-mental protection. The stated data correspond to the current state of knowledge and experience and is in accord-ance with valid legal regulations. It cannot be deemed as a guarantee of the properties, suitability, and usefulness of the product for specific application and therefore no contractual legal relationships are hereby created.

The safety data sheet is the property of the physical or legal entity stated in Section 1 and is protected by copy-right. All copying, distribution or sales without the consent of the owner is forbidden.

## Relevant phrases:

H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.



# according to Regulation (EC) No 1907/2006, Article 31, Annex II according to Regulation (EU) No 2020/878

Page 13/13

Printing date: 24.01.2023 Revision date: 24.01.2023

Version number: 4 (replaces version 3)

Trade name: Special foam extinguishing spray GLACI AID MG-400 MKII

(Continuation of page 12)

H318 Causes serious eye damage. Causes serious eye irritation. H319

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410

EUH071 Corrosive to the respiratory tract.

Training hints: Before using, read the information on the product's packaging carefully.

#### Recommended restriction of use:

The product is to be used only for the purpose, for which it is designed. It is up to the user's responsibility to ad-here to the product usage conditions and to respect the safety instructions for health and environmental protection. Standard packaging: 400 ml aluminium spray can of the BOV system.

Further information: This product must be stored, sold, and used in accordance with valid hygienic regulations.

#### Classification according to Regulation (EC) No 1272/2008:

Aerosols, Section 2.3.1 Bridging principles

#### **Department issuing SDS:**

Ing. Karel Královec, Studio2K, Czech Republic

Phone: +420 777 145 808, Email: info@studio2k.cz, Website: www.studio2k.cz / www.bezpecnostni-listy.eu

First issue of SDS: 12.10.2016 Date of previous version: 25.09.2020 Version number of previous version: 3

Reasons for alterations: Revision of the safety data sheet due to changes or additions to some data and information.

Revised sections: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16.

Internal code formula: 1050.002

## Documents used to prepare SDS:

The original documents provided by the supplier or manufacturer related to the product (mixture), eventually to individual substances contained.

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Aerosol 3: Aerosols - Category 3

Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - Acute Hazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

The safety data sheet was prepared in accordance with the European Parliament and Council Regulation (EC) No 1272/2008 (CLP) and according to the requirements of the European Parliament and Council Regulation (EC) No 1907/2006 about the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency - head IV, article 31, appendix II (instructions for safety data sheet compiling), as amended by the Commission Regulation (EU) No 2020/878 of 18 June 2020

The missing ecotoxicology and toxicology data was obtained from the ESIS (European chemical Substances Information System), specifically from the IUCLID (International Uniform ChemicaL Information Database). As needed, data from further available chemical databases was used.

\* Data compared to the previous version altered.

© Studio2K & DR SoftWare ChemGes, 2023 (EU)